



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/591,769	06/12/2000	Alain T. Rappaport	320715.02	4769

69316 7590 04/22/2010
MICROSOFT CORPORATION
ONE MICROSOFT WAY
REDMOND, WA 98052

EXAMINER

PORTER, RACHEL L

ART UNIT	PAPER NUMBER
----------	--------------

3626

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

04/22/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

DBOUTON@MICROSOFT.COM
vffiling@microsoft.com
stevensp@microsoft.com

Response to Rule 312 Communication	Application No.	Applicant(s)
	09/591,769	RAPPAPORT, ALAIN T.
	Examiner	Art Unit
	RACHEL L. PORTER	3626

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

1. ☒ The amendment filed on 22 March 2010 under 37 CFR 1.312 has been considered, and has been:

a) ☐ entered.

b) ☐ entered as directed to matters of form not affecting the scope of the invention.

c) ☐ disapproved because the amendment was filed after the payment of the issue fee.

Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

d) ☐ disapproved. See explanation below.

e) ☒ entered in part. See explanation below.

Only the Replacement Drawings filed 3/22/10 and the formal Specification filed 3/22/10 in response to the Printer query are accepted and entered by the Examiner. All other documents filed 3/22/10 are disapproved.

/Robert Morgan/
Primary Examiner, Art Unit 3626